

Message

From: Lee, Bessie [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=CD1A2CF2F38F4D0DA561C44C58223465-BELEE]
on behalf of DataManager [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2BC0BE71633F4ECE9DE528B1D255512A-DATAMANAGER]
Sent: 3/8/2016 7:13:59 PM
To: Sharon Grover [sgfmcv@hopitelecom.net]
CC: Sheila Poff [sheila@mohavelabs.com]; Musetescu, Dan [Musetescu.Dan@epa.gov]
Subject: Please send the ENTIRE lab report from Mojave Labs - sample dated 12/08/2016-east/west well - Polacca Water System
Attachments: scan0055.pdf

Sharon,

I am forwarding to you what you had attached in your submittal to DataManager. I know Dan asked you to resend the report. You will see that what you sent to DataManager was an incomplete report. The report only printed the first 6 of 31 pages. After the 6th page, there is an error message. You should talk to Sheila Poff of Mojave Labs and have her resend the ENTIRE lab report (all 31 pages) to you. Our recommendation is that when you ask Sheila to resend the entire lab report, to also have her copy DataManager@epa.gov and me (lee.bessie@epa.gov). That will save you from having to scan the report and then send it to us.

For future submittals, we recommend that you send Mojave Labs a letter or e-mail that directs the lab to send the lab reports concurrently to your office, as well as to DataManager@epa.gov and myself. That will save you some time with your data reporting to USEPA.

Please contact me if you have any questions.

~~~~~

Bessie Lee

~~~~~

Drinking Water Management Section (WTR-3-1)
U.S. Environmental Protection Agency, Region 9
75 Hawthorne Street
San Francisco, California 94105
Phone: (415) 972-3776
Fax: (415) 947-3545
E-mail: lee.bessie@epa.gov

From: FIRST MESA FMVC [mailto:sgfmcv@hopitelecom.net]
Sent: Thursday, March 03, 2016 8:43 AM
To: DataManager <DataManager@epa.gov>
Subject: Fwd: mohave labs sample dtd 12/08/2016-east/west well

From: "FIRST MESA FMVC" <sgfmcv@hopitelecom.net>
To: "Lee, Bessie" <lee.bessie@epa.gov>, "DataManager" <datamanager@epa.gov>
Sent: Wednesday, March 2, 2016 2:24:44 PM
Subject: mohave labs sample dtd 12/08/2016-east/west well

03/02/2016

Hi Bessie

Sorry didn't sent attach it der now in attachment

Thanks, Sharon